



Genesis[®] Single Stage Premium System

GENESIS[®] GC GENESIS[®] G8

PREMIUM ACRYLIC POLYURETHANE SINGLE STAGE SYSTEM

GC — 3.5 LB/GAL VOC; G8 — 2.8 LB/GAL VOC

OUTSTANDING COVERAGE, FAST DRY TIMES

AIR DRY OR BAKE

FULL COLOR PALETTE INCLUDING SOLIDS AND METALLICS

INCREASES OUTPUT WHILE MAINTAINING HIGH PERFORMANCE FINISH



SHERWIN-WILLIAMS
Automotive Finishes

The Sherwin-Williams Company
4440 Warrensville Center Road
Warrensville Heights, OH 44128
1-800-798-5872

www.sherwin-automotive.com

GENESIS GC

GENESIS G8

TECHNICAL DATA	TEST	RESULTS	REAL WORLD BENEFITS
APPEARANCE		EXCELLENT	
20° Gloss	ASTM D523	85+	Increases consumer satisfaction and sales potential
60° Gloss	ASTM D523	93+	
Distinctness Of Image (DOI)	ASTM D5767	93+	
ACT Orange Peel Rating		>7	
FLEXIBILITY		EXCELLENT	
Impact Resistance > 80 in./lb.	ASTM 2794	Pass	Resists chipping in extreme conditions
1/8" Mandrel Bend	ASTM D522	Pass	
Frozen Gravelometer Resistance	ASTM D3170	Pass	
CHEMICAL RESISTANCE	ASTM D1308	EXCELLENT	
Anti Freeze		No Effects	Resists appearance defects and protects substrates from attack following spills
Diesel Fuel		No Effects	
Gasoline		No Effects	
Motor Oil		No Effects	
Acid (Sulfuric Acid)		No Effects	
Alkali (Sodium Hydroxide)		No Effects	
MOISTURE RESISTANCE		EXCELLENT	
Humidity Resistance	ASTM D2247	1000 Hours No Effect	Resists appearance defects and assists protection of substrate in high moisture regions
Water Immersion Resistance	ASTM D870	500 Hours No Effect	
CORROSION RESISTANCE		EXCELLENT	
Salt Spray	ASTM B117	1000 Hours No Effect	Resists appearance defects and assists protection of substrate in harsh environment
Cyclic Corrosion	GM9540P	50 Cycles No Effect	
Scab Corrosion	Freightliner SEC.3. 16	20 Weeks No Effect	
EXTERIOR WEATHERABILITY		EXCELLENT	
Xenon Accelerated Weathering	ASTM D6695	Pass Gloss and Color Retention	Resists appearance changes over time
5 Year 5° South Black Box Florida Weathering	ASTM D4141	Pass Gloss and Color Retention	
Scratch Resistance	ASTM D7027	Pass	

For more information on this product, contact 1-800-798-5872 or visit www.sherwin-automotive.com